

MEDIASET TV TECHNICAL SPECIFICATIONS

For information contact ADV Quality and Content Office
operationsfilmati@publitalia.it

<https://www.publitalia.it/sezione/l-offerta-commerciale-di-publitalia-80/19.html#stripe-document-6>

Commercials must be delivered to Publitalia '80 only in MXF format and will be subjected to a technical quality control.

All commercials that will not respect technical requirements of sound and image quality will be rejected.

MXF/XDCAM HD 422

Container:	MXF OP-1a (SMPTE RDD9)
Video:	1920x1080, 25 fps interlaced, YCbCr, 4:2:2, 8 bit. MPEG-2 Long GOP, 50Mbit/s
Audio:	8 tracks AES, each with 1 channel PCM, 48KHz, 24 bit

Loudness requirements consistent with EBU regulations of – 24db

Each commercials must be sent at least 4 (four) days before airing date in order to allow Publitalia '80 carry out control operations. Publitalia '80 accepts commercials only via digital deliveries Peach or XR Extreme Reach.

We accept **Subtitles** in commercials with STL not embedded but delivered on our ftp by carrier.


From **01/07/2025**, the insertion of the Auditel CUSV code will be a necessary condition for the cross-media analysis of the Total Campaign by software houses

Safe Area the figure specifies the area of the television image useful for actions and graphics "Safe Action Area".

Action Safe Area: green area

Graphics Safe Area: red area

Scanning raster 1080i and 1080psf 16:9 safe areas for 16:9 presentation
Image format: 16:9 Full Format





Per informazioni contattare:

Telefono: +39 02 94750316- 02 89877645

support.it@peach.me



Adstream Italia s.r.l. (an Extreme Reach company)

Centro Direzionale Milano Due – Palazzo Bernini

Via Fratelli Cervi, 20054 Segrate (MI)

Per informazioni contattare: Telefono: +39 02 30465810

traffic.it@extremereach.com